

Safety data sheet

According (EU) 2020/878, Annex B amending Regulation (EC) No 1907/2006

Revision date: 08.07.2022

v. 1

Date of issue: 29.05.2009

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: **Developer D-100 Spraycan**

1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.

Application of the substance / the mixture Developer

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Supplier:

BabbCo SA	SherwinBabbCo
15, rue des Frères Lumière	
Z.I. des EBISOIRES	
78370 PLAISIR (France)	
Tel: +33 (0)1.30.80.81.82	Tel: +33 (0)1.30.80.81.98
Fax: +33 (0)1.30.80.81.99	
e-mail: babb-co@orange.fr	e-mail: SherwinBabbco@orange.fr
http: //www.babbco.fr	

Manufacturer: BabbCo SA (Plaisir – France) - Tel : +33 (0)1 30 80 81 82

Further information obtainable from: Product safety department

1.4 Emergency telephone number:

Tel: +33 (0)1.40.05.48.48 (Centre anti-poison de Paris)

Tel: +33 (0)1.30.80.81.98

Additional information:

Attention Medical Authorities,

In accordance with law, to the best of its knowledge, and in good faith, SherwinBabb Co herewith indicates known, or possible, risks arising from the use of the product described below.

There may be similar products on the market for which the suppliers have not indicated certain risks.

Suppliers are responsible for completing SDS forms in a manner that:

- does not give a product's user a false sense of security concerning the product's risks, or which,
- misrepresents the product in a manner that could be construed as unfair competition, or which,
- could lead to legal proceedings against the supplier.

Please contact us to answer any questions, or for additional information, concerning this document, or the product(s) described.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

Eye Irrit. 2 H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms



GHS02

GHS07

Signal word Danger

Hazard-determining components of labelling:

propan-2-ol

Hazard statements

H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

(Contd. on page 2)

GB

Safety data sheet

According (EU) 2020/878, Annex B amending Regulation (EC) No 1907/2006

Revision date: 08.07.2022

v. 1

Date of issue: 29.05.2009

Trade name: Developer D-100 Spraycan

(Contd. of page 1)

Precautionary statements

- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P251 Do not pierce or burn, even after use.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P405 Store locked up.
- P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
- P501 Dispose of contents/container in accordance with local regulations.

· **2.3 Other hazards** See Chapters 3 and 15 for details.

Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

· **Description:** Mixture of substances listed below with nonhazardous additions.

Dangerous components:

CAS: 106-97-8 EINECS: 203-448-7 Reg.nr.: 01-2119474691-32	butane, pure ⚠ Flam. Gas 1A, H220; ⚠ Acute Tox. 3, H331; Press. Gas (Comp.), H280	25-50%
CAS: 67-63-0 EINECS: 200-661-7 Reg.nr.: 01-2119457558-25	propan-2-ol ⚠ Flam. Liq. 2, H225; ⚠ Eye Irrit. 2, H319; STOT SE 3, H336	25-50%
CAS: 74-98-6 EINECS: 200-827-9 Reg.nr.: 01-2119486944-21	propane ⚠ Flam. Gas 1A, H220; Press. Gas (Comp.), H280	10-25%
CAS: 75-28-5 EINECS: 200-857-2 Reg.nr.: 01-2119485395-27	isobutane ⚠ Flam. Gas 1A, H220; Press. Gas (Comp.), H280	1-2.5%

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**
Immediately wash with water and soap and rinse thoroughly.
Remove contaminated clothing.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** Do not induce vomiting; call for medical help immediately.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media**Suitable extinguishing agents:**

- Water haze
- Foam
- ABC powder
- **For safety reasons unsuitable extinguishing agents:** Water spray

5.2 Special hazards arising from the substance or mixture

Carbon monoxide and carbon dioxide
No further relevant information available.

5.3 Advice for firefighters

- **Special protective equipment for fire-fighters:**
Wear self-contained respiratory protective device.

(Contd. on page 3)

Safety data sheet

According (EU) 2020/878, Annex B amending Regulation (EC) No 1907/2006

Revision date: 08.07.2022

v. 1

Date of issue: 29.05.2009

Trade name: Developer D-100 Spraycan

(Contd. of page 2)

Wear fully protective suit.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up: Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling No special precautions are necessary if used correctly.

Information about fire - and explosion protection:

Do not spray onto a naked flame or any incandescent material.

Keep ignition sources away - Do not smoke.

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles:

Observe official regulations on storing packagings with pressurised containers.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: None.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

CAS: 106-97-8 butane, pure

WEL	Short-term value: 1810 mg/m ³ , 750 ppm
	Long-term value: 1450 mg/m ³ , 600 ppm
	Carc (if more than 0.1% of buta-1.3-diene)

CAS: 67-63-0 propan-2-ol

WEL	Short-term value: 1250 mg/m ³ , 500 ppm
	Long-term value: 999 mg/m ³ , 400 ppm

Regulatory information WEL: EH40/2020

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Appropriate engineering controls No further data; see item 7.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Respiratory protection:

When using a liquid based on organic compound:

- Recommended for organic vapour (type A)

(Contd. on page 4)

Safety data sheet

According (EU) 2020/878, Annex B amending Regulation (EC) No 1907/2006

Revision date: 08.07.2022

v. 1

Date of issue: 29.05.2009

Trade name: Developer D-100 Spraycan

(Contd. of page 3)

When using a dry powder:

- Recommended for particulate filters (type P)

· **Hand protection**

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves** Natural rubber, NR· **Penetration time of glove material**

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye/face protection**

Safety glasses

Tightly sealed goggles

· **Body protection:**

Protective work clothing

Use protective suit.

* **SECTION 9: Physical and chemical properties**· **9.1 Information on basic physical and chemical properties**· **General Information**· **Physical state** Aerosol· **Colour:** White· **Odour:** Characteristic· **Odour threshold:** Not determined.· **Melting point/freezing point:** Undetermined.· **Boiling point or initial boiling point and boiling range** -20 °C· **Flammability** Not applicable.· **Lower and upper explosion limit**· **Lower:** 1.5 Vol %· **Upper:** 12 Vol %· **Flash point:** -50 °C (ASTM D-93)· **Auto-ignition temperature:** 365 °C· **Decomposition temperature:** Not determined.· **pH** Not determined.· **Viscosity:**· **Kinematic viscosity** Not determined.· **Dynamic:** Not determined.· **Solubility**· **water:** Not miscible or difficult to mix.· **Partition coefficient n-octanol/water (log value)** Not determined.· **Vapour pressure at 20 °C:** 8,300 hPa· **Density and/or relative density**· **Density at 20 °C:** 0.65 g/cm³ (ASTM D-1298)· **Relative density** Not determined.· **Vapour density** Not determined.· **9.2 Other information**· **Appearance:**· **Form:** Aerosol

(Contd. on page 5)

GB

Safety data sheet

According (EU) 2020/878, Annex B amending Regulation (EC) No 1907/2006

Revision date: 08.07.2022

v. 1

Date of issue: 29.05.2009

Trade name: Developer D-100 Spraycan

(Contd. of page 4)

· Important information on protection of health and environment, and on safety.	
· Auto-ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
· Solvent content:	
· Organic solvents:	90.0 %
· VOC (1999/13/EG)	92.40 %
· Change in condition	
· Evaporation rate	Not applicable.
· Information with regard to physical hazard classes	
· Explosives	not applicable
· Flammable gases	not applicable
· Aerosols	Extremely flammable aerosol. Pressurised container: May burst if heated.
· Oxidising gases	not applicable
· Gases under pressure	not applicable
· Flammable liquids	not applicable
· Flammable solids	not applicable
· Self-reactive substances and mixtures	not applicable
· Pyrophoric liquids	not applicable
· Pyrophoric solids	not applicable
· Self-heating substances and mixtures	not applicable
· Substances and mixtures, which emit flammable gases in contact with water	not applicable
· Oxidising liquids	not applicable
· Oxidising solids	not applicable
· Organic peroxides	not applicable
· Corrosive to metals	not applicable
· Desensitised explosives	not applicable

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
Stable at environment temperature.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Information on hazardous ingredients

· LD/LC50 values relevant for classification:		
CAS: 106-97-8 butane, pure		
Inhalative	LC50/4h	658 mg/kg (rat)
CAS: 67-63-0 propan-2-ol		
Oral	LD50	5,045 mg/kg (rat)
Dermal	LD50	12,800 mg/kg (rabbit)
Inhalative	LC50/4h	>20 mg/kg (rat)

- **Serious eye damage/irritation** Causes serious eye irritation.

(Contd. on page 6)

Safety data sheet

According (EU) 2020/878, Annex B amending Regulation (EC) No 1907/2006

Revision date: 08.07.2022

v. 1

Date of issue: 29.05.2009

Trade name: Developer D-100 Spraycan

(Contd. of page 5)

- **STOT-single exposure** May cause drowsiness or dizziness.
- **11.2 Information on other hazards**

- **Endocrine disrupting properties**

None of the ingredients is listed.

* SECTION 12: Ecological information

- **12.1 Toxicity**

- **Aquatic toxicity:**

Information on hazardous ingredients

CAS: 67-63-0 propan-2-ol

LC50/ 96 h >100 mg/l (Fish)

EC50/ 48 h >100 mg/l (daphnia)

- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties** The product does not contain substances with endocrine disrupting properties.
- **12.7 Other adverse effects**
- **Additional ecological information:**

- **General notes:**

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

* SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**

- **Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Waste/ unused products

Collect all waste in suitable and labelled containers and dispose according to local legislation.

- **Uncleaned packaging:**

- **Recommendation:**

Waste / used products

Waste products and empty packages dispose of in accordance with local regulations.

* SECTION 14: Transport information

- **14.1 UN number or ID number**

- **ADR, IMDG, IATA**

UN1950

- **14.2 UN proper shipping name**

- **ADR, IMDG**

AEROSOLS

- **IATA**

AEROSOLS, flammable

- **14.3 Transport hazard class(es)**

- **ADR**



- **Class**

2.5F Gases.

(Contd. on page 7)

Safety data sheet

According (EU) 2020/878, Annex B amending Regulation (EC) No 1907/2006


Revision date: 08.07.2022

v. 1

Date of issue: 29.05.2009

Trade name: Developer D-100 Spraycan

(Contd. of page 6)

· Label	2.1
· IMDG, IATA	
	
· Class	2.1 Gases.
· Label	2.1
· 14.4 Packing group	
· ADR, IMDG, IATA	not applicable
· 14.5 Environmental hazards:	
· Marine pollutant:	No
· 14.6 Special precautions for user	Warning: Gases.
· Hazard identification number (Kemler code):	-
· EMS Number:	F-D,S-U
· Stowage Code	SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS: Category C, Clear of living quarters.
· Segregation Code	SG69 For AEROSOLS with a maximum capacity of 1 litre: Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2.
· 14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	1L
· Excepted quantities (EQ)	Code: E0 Not permitted as Excepted Quantity
· Transport category	2
· Tunnel restriction code	D
· Remarks:	Aerosols may be transported under LIMITED QUANTITIES (LQ). See ADR 3.4 - LQ2. That means no class 2.
· IMDG	
· Limited quantities (LQ)	1L
· Excepted quantities (EQ)	Code: E0 Not permitted as Excepted Quantity
· Remarks:	Aerosols may be transported under LIMITED QUANTITIES (LQ). See IMDG 3.4 - LQ2. That means no class 2.
· IATA	
· Remarks:	Max. net quantity per package - Passenger Aircraft 75kg Max. net quantity per package - Cargo Aircraft 150kg Max. net quantity per package - Limited quantities 30 kg G Packaging Instruction: Passenger Aircraft - PI 203 Cargo aircraft - PI 203 Limited quantities - PI Y203

(Contd. on page 8)

GB

Safety data sheet

According (EU) 2020/878, Annex B amending Regulation (EC) No 1907/2006

Revision date: 08.07.2022

v. 1

Date of issue: 29.05.2009

Trade name: Developer D-100 Spraycan

(Contd. of page 7)

· UN "Model Regulation":	UN 1950 AEROSOLS, 2.1
---------------------------------	-----------------------

* SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **Seveso category** P3a FLAMMABLE AEROSOLS
- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 150 t
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 500 t
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

* SECTION 16: Other information

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

European regulation (UK REACH) requires that in paragraph 16 all H sentences dealing with raw materials appearing in paragraph 2 and 3 be written. This regulation states which sentences will finally be written on labels (paragraph 3) depending on the respective concentration of every raw material in the preparation. That's why some or all of the sentences or signs shown in paragraph 16 may not be written on the label. BabbCo complies with the law. Any MSDS with the H sentences of the raw material not shown in the paragraph 16 does not comply with regulation.

- **Relevant phrases**

H220 Extremely flammable gas.
 H225 Highly flammable liquid and vapour.
 H280 Contains gas under pressure; may explode if heated.
 H319 Causes serious eye irritation.
 H331 Toxic if inhaled.
 H336 May cause drowsiness or dizziness.

- **Contact:** BabbCo SA

- **Prepared by** Babb Co S.A.

- **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
 ICAO: International Civil Aviation Organisation
 ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 VOC: Volatile Organic Compounds (USA, EU)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 PBT: Persistent, Bioaccumulative and Toxic
 vPvB: very Persistent and very Bioaccumulative
 Flam. Gas 1A: Flammable gases – Category 1A
 Aerosol 1: Aerosols – Category 1
 Press. Gas (Comp.): Gases under pressure – Compressed gas
 Flam. Liq. 2: Flammable liquids – Category 2
 Acute Tox. 3: Acute toxicity – Category 3
 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

- *** Data compared to the previous version altered.**